

# BOTANISKA NOTISER

1967, VOL. 120

ISSUED BY  
LUNDS BOTANISKA FÖRENING

EDITED BY  
*ROLF DAHLGREN*

*Tidskriften grundad 1839*

DISTRIBUTOR: C. W. K. GLEERUP, LUND, SWEDEN

D i s t r i b u t i o n   D a t e s

Fasc. 1, pp. 1—136, on 4 April  
Fasc. 2, pp. 137—248, on 10 June  
Fasc. 3, pp. 249—392, on 9 Oct.  
Fasc. 4, pp. 393—520, on 30 Dec.

## Contents (Innehållsförteckning)

ALI, S. I.: Revision of the Genus <i>Vicia</i> Linn. from West Pakistan . . . . .	46
BENDZ, GERD, MÄRTENSSON, OLLE, and NILSSON, ERLING: Moss Pigments. 6.	
On the Pigmentation of Sphagnum Species . . . . .	345
BOTHMER, ROLAND VON: Intraspecific Variation in <i>Clinopodium vulgare</i> L. (Labiateae) . . . . .	202
BOULOS, LOUTFY: <i>Taeckholmia</i> , a New Genus of Compositae from Canary Islands . . . . .	95
— On the Weed Flora of Aswan, Egypt . . . . .	369
— <i>Sonchus friesii</i> , a New African Species of Compositae . . . . .	456
BUNCE, R. G. H.: The Application of Ordination to Bryophyte Communities on a Snowdonian Cliff . . . . .	334
CODD, L. E.: The Status of the Genus <i>Notosceptrum</i> Benth. (Liliaceae) . . . . .	41
DAHLGREN, ROLF: Some New and Rediscovered Species of <i>Aspalathus</i> (Leguminosae) . . . . .	26
— Studies on Penaeaceae III. The Genus <i>Glischrocolla</i> . . . . .	57
— Studies on Penaeaceae IV. The Genus <i>Endonema</i> . . . . .	69
— Chromosome Numbers in Some South African Genera of the Tribe Genisteae s. lat. (Leguminosae) . . . . .	149
— A New Species of <i>Lebeckia</i> (Leguminosae) from the Cape Province . . . . .	268
— <i>Astragalus arenarius</i> L. (Leguminosae), $2n=16$ . . . . .	487
ERDTMAN, GUNNAR: On the Pollen Morphology of <i>Trigonobalanus</i> (Fagaceae) .	324
ERICSON, JAN: <i>Leucorchis albida</i> (L.) E. Mey. åter funnen i Skåne . . . . .	375
JEPPISSON, LENNART: Ett fynd av <i>Orobanche minor</i> Sm. i Skåne ( <i>Orobanche minor</i> Sm. Discovered in the Province of Scania, South Sweden) . . . . .	488
JULIN, ERIK: <i>Elodea canadensis</i> vid Bottniska Vikens nordkust . . . . .	373
JÖNSSON, BIRGIT: <i>Ceratophyllum submersum</i> L. på en ny Skånelokal ( <i>Ceratophyllum submersum</i> L. Discovered in a New Locality in Scania, South Sweden) . . . . .	491
JÖNSSON, SIGURD: Återfynd av <i>Aconitum napellus</i> i Skåne . . . . .	237
KRAFT, JOHN: <i>Carex appropinquata</i> $\times$ <i>otrubae</i> funnen i Skåne ( <i>Carex appropinquata</i> Schum. $\times$ <i>C. otrubae</i> Pöpp. Found in Scania, South Sweden) . . . . .	489
— Nytt fynd av <i>Coeloglossum viride</i> (L.) Hartm. i Skåne (A New Record of <i>Coeloglossum viride</i> (L.) Hartm. from Scania, South Sweden) . . . . .	490
KŘÍSA, BOHDAN: Two New Species of <i>Pyrola</i> from the Himalayan Region of Asia . . . . .	423
KUKKONEN, ILKKA: Studies on the Variability of the <i>Diphasium</i> ( <i>Lycopodium complanatum</i> Complex in Finland . . . . .	500

MOORE, D. M.: Further Records for the Vascular Flora of the Falkland Islands	17
MUNK, ANDERS: Aquatic Pyrenomyctes	499
MÄKINEN, YRJÖ: A Variety of <i>Calamagrostis lapponica</i> in Finnish Lapland	501
NAYAR, B. K., KAUR, S., and BAJPAJ, N.: Morphological Studies on <i>Histiopteris</i> and <i>Hypolepis</i>	177
NILSSON, ÖRJAN: Drawings of Scandinavian Plants 1—2. <i>Rosa</i> L.	1
— <i>Ibid.</i> 3—4. <i>Rosa</i> L.	137
— <i>Ibid.</i> 5—6. <i>Rosa</i> L.	249
— <i>Ibid.</i> 7—8. <i>Rosa</i> L.	393
— <i>Seseli libanotis</i> (L.) Koch (Umbelliferae) Refound in Scania (South Sweden)	487
— and HJELMQVIST, HAKON: Studies on the Nutlet Structure of South Scandinavian Species of <i>Carex</i>	460
NORDBORG, GERTRUD: Embryological Studies in the <i>Sanguisorba minor</i> Complex (Rosaceae)	109
NORDENSTAM, BERTIL: New Species of <i>Felicia</i> and <i>Pentzia</i> (Compositae) from the Brandberg, South West Africa	196
— Chromosome Numbers in <i>Othonna</i> (Compositae)	297
OLSSON, ULF: Chemotaxonomic Analysis of some Cytotypes in the <i>Mentha</i> × <i>ver-</i> <i>ticillata</i> Complex (Labiatae)	255
PRAKASH, N.: Aizoaceae — A Study of its Embryology and Systematics	305
RICKMAN, HELGE: Fortsatt invasion på Skåne-kusten av <i>Atriplex sabulosa</i>	374
RUNEMARK, HANS: Studies in the Aegean Flora X. Cytologic and Morphologic Notes on <i>Plantago</i>	9
— Studies in the Aegean Flora XI. <i>Procopiana</i> (Boraginaceae) Included into <i>Symphytum</i>	84
— Studies in the Aegean Flora XII. Cytologic and Morphologic Investigations in <i>Centaurea</i>	161
— Addendum to "Studies in the Aegean Flora XII"	486
RUNGBY, SVEND: <i>Barbula rigidula</i> (Hedw.) Mitt. in Denmark	236
— Mosses New to Crete	236
SANTESSON, ROLF: On Taxonomical and Biological Relations between Lichens and Non-Lichenized Fungi	497
SONESSON, MATS: Studies on Mire Vegetation in the Torneträsk Area, Northern Sweden. I. Regional Aspects	272
STRANDHEDE, SVEN-OLOV: <i>Eleocharis</i> , Subser. <i>Eleocharis</i> in North America. Taxonomical Comments and Chromosome Numbers	355
— Comments on Some Phytogeographical and Biological Problems in the Com- plex of <i>Eleocharis palustris</i>	503
SUOMINEN, JUHA: "The Committee for Mapping the Flora of Europe"	506
TENGNÉR, JAN: Anatomy and Taxonomy in the Podocarpaceae	504
TRALAU, HANS: The Phytogeographic Evolution of the Genus <i>Ginkgo</i> L.	409
TYLER, GERMUND: On the Effect of Phosphorus and Nitrogen, Supplied to Baltic Shore-Meadow Vegetation	433
WEIMARCK, GUNNAR: Apomixis and Sexuality in <i>Hierochloë australis</i> and in Swedish <i>H. odorata</i> on Different Polyploid Levels	209
— Apomixis in <i>Hierochloë monticola</i> (Graminae)	448

WENDELBO, PER: A New Dionysia (Primulaceae) from the Bakhtiari Mountains of Iran .....	144
WIDÉN, KARL-GUSTAV: Om typifieringen av släktet Agrostis L. ....	508

Nordisk Förening för Taxonomisk Botanik  
(Nordic Association for Taxonomic Botany)

Protokoll fört vid föreningens andra ordinarie sammanträde i Åbo den 4—8 juli 1967 (Proceedings of the Second Ordinary Meeting Held in Åbo on July 4—8, 1967) .....	491
---	-----

Lunds Botaniska Förening  
(The Lund Botanical Society)

Från Lunds Botaniska Förenings förhandlingar 1966 .....	120
Lunds Botaniska Förening 1967 .....	517

Reviews of Botanical Literature

ALEXOPOULUS, C. J.: Einführung in die Mykologie. (By S.-O. STRANDHEDE) ..	390
BACKER, C. A. & BAKHUIZEN VAN DEN BRINK, R. C. Jr.: Flora of Java, Vol. 2. (By B. NORDENSTAM) .....	241
BRUMMITT, R. K. (compil.): Index to European Taxonomic Literature for 1965. (By O. ALMBORN) .....	381
BOURRELLY, P.: Les Algues d'eau douce. (By K. THOMASSON) .....	387
CURRY-LINDAHL, K. (ed.): Natur i Lappland I—II. (By S.-O. STRANDHEDE) ..	514
DE WIT, H. C. D.: Alverdens Planter I—II. (By B. NORDENSTAM) .....	242
DYER, R. A., CODD, L. E., and RYCROFT, H. B. (ed.): Flora of Southern Africa, Vols. 1 and 26. (By B. NORDENSTAM) .....	240
GOODWIN, T. W. (ed.): Biochemistry of Chloroplasts. (By L. O. BJÖRN) .....	127
GURR, E.: The Rational Use of Dyes in Biology. (By U. OLSSON) .....	129
HASSELROT, K.: Västergötlands Flora. (By ÖRJAN NILSSON) .....	383
HUTCHINSON, J.: The Genera of Flowering Plants, Vol. II. (By R. DAHLGREN) ..	388
— Key to the Families of Flowering Plants of the World (By R. DAHLGREN) ..	390
HYLANDER, N.: Nordisk Kärlväxtflora II. (By H. WEIMARCK) .....	243
International Code of Botanical Nomenclature. Adopted by the Tenth Int. Bot. Congress. (By O. ALMBORN) .....	382
JACKSON, D. F. (ed.): Algae and Man. (By S.-O. STRANDHEDE) .....	130
JACKSON, R. C. (compil.): ASPT — IOPB Index of Current Taxonomic Research. (By O. ALMBORN) .....	380
KARLING, J. S.: Synchytrium. (By S.-O. STRANDHEDE) .....	512
KNAPP, R.: Experimentelle Soziologie und gegenseitige Beeinflussung der Pflanzen. (By F. ANDERSSON) .....	512
MERXMÜLLER, H.: Prodromus einer Flora von Südwestafrika, Fasc. 1—16. (By B. NORDENSTAM) .....	134
PURVIS, M. J., COLLIER, D. C., and WALLS, D.: Laboratory Techniques in Botany. (By L. O. BJÖRN) .....	129
RECHINGER, K. H.: Flora of Lowland Iraq. (By B. NORDENSTAM) .....	134
— Flora Iranica, Fasc. 1—15. (By B. NORDENSTAM) .....	132

VI

SIRONVAL, C. (ed.): Le Chloroplaste. (By L. O. BJÖRN) .....	127
SJÖRS, H.: Nordisk växtgeografi. 2. uppl. (By N. MALMER) .....	513
STUBBE, H.: Genetik und Zytologie von <i>Anthirrhinum</i> L. Sect. <i>Anthirrhinum</i> . (By S.-O. STRANDHEDE) .....	244
VERNON, L. P. & SEELY, G. R. (ed.): The Chlorophylls. Physical, Chemical, and Biological Properties. (By L. O. BJÖRN) .....	127
WILLIS, J. C.: A Dictionary of the Flowering Plants and Ferns. 7th ed. (By B. NORDENSTAM) .....	242
 M e d d e l a n d e n .....	126, 238, 378, 511

# Index (Register)

The index covers only taxa which have been treated in some detail. New taxa and new combinations are printed in boldface. \* indicates an illustration (also of chromosomes), m refers to a distribution map.

Nedanstående förteckning upptager endast sådana taxa, som blivit i något avseende utförligare eller mera speciellt behandlade. Nya taxa och kombinationer betecknas med fetstil. \* anger avbildning (även av kromosomer), m att karta förekommer.

- |   |              |  |           |
|---|--------------|--|-----------|
| <i>Acaena microcephala</i> . . . . .                  | 22           | <i>Carex acutiformis</i> . . . . .                 | 468, 474* |
| — <i>pumila</i> . . . . .                             | 22           | — <i>appropinquata</i> . . . . .                   | 472*      |
| <i>Aconitum napellus</i> . . . . .                    | 237          | — — <i>× otrubae</i> . . . . .                     | 489       |
| <i>Agrostis</i> . . . . .                             | 508 f        | — <i>aquatilis</i> . . . . .                       | 476*      |
| <i>Aizoaceae</i> . . . . .                            | 305 ff       | — <i>arenaria</i> . . . . .                        | 477*      |
| <i>Amphithalea</i> . . . . .                          | 152 f        | — <i>bohemica</i> . . . . .                        | 477*      |
| — <i>ericifolia</i> . . . . .                         | 153          | — <i>brunnescens</i> . . . . .                     | 474*      |
| — <i>intermedia</i> . . . . .                         | 152*         | — <i>buxbaumii</i> ssp. <i>buxbaumii</i> . . . . . | 470*      |
| <i>Aptenia cordifolia</i> . . . . .                   | 307 ff*      | — <i>caespitosa</i> . . . . .                      | 472*      |
| <i>Astragalus arenarius</i> . . . . .                 | 487*         | — <i>canescens</i> . . . . .                       | 474*      |
| <i>Aspalathus</i> . . . . .                           | 26 ff, 156 f | — <i>capillaris</i> . . . . .                      | 466*      |
| — <b><i>barbigera</i></b> . . . . .                   | 29 ff* m     | — <i>caryophyllea</i> . . . . .                    | 466*      |
| — <i>lanata</i> . . . . .                             | 157*         | — <i>chordorrhiza</i> . . . . .                    | 472*      |
| — <i>lanifera</i> . . . . .                           | 157*         | — <i>davalliana</i> . . . . .                      | 476*      |
| — <i>macrantha</i> . . . . .                          | 156*         | — <i>diandra</i> . . . . .                         | 472*      |
| — <i>macrocarpa</i> . . . . .                         | 34 ff* m     | — <i>digitata</i> . . . . .                        | 462*      |
| — <i>pallescens</i> . . . . .                         | 39 f* m      | — <i>dioica</i> . . . . .                          | 474*      |
| — <i>perfoliata</i> ssp. <i>phillipsii</i> . . . . .  | 157*         | — <i>disperma</i> . . . . .                        | 477*      |
| — <i>prostrata</i> . . . . .                          | 39* m        | — <i>distans</i> . . . . .                         | 466*      |
| — <b><i>ryeroftii</i></b> . . . . .                   | 32 ff* m     | — <i>disticha</i> . . . . .                        | 477*      |
| — <b><i>taylorii</i></b> . . . . .                    | 27 ff* m     | — <i>divulsa</i> ssp. <i>leersii</i> . . . . .     | 476*      |
| — <i>uniflora</i> ssp. <i>willdenowiana</i> . . . . . | 157*         | — <i>echinata</i> . . . . .                        | 476*      |
| <i>Atriplex sabulosa</i> . . . . .                    | 374 f        | — <i>elata</i> . . . . .                           | 471*      |
| <i>Barbula rigidula</i> . . . . .                     | 236          | — <i>elongata</i> . . . . .                        | 476*      |
| <i>Bolax gummifera</i> . . . . .                      | 21*          | — <i>ericetorum</i> . . . . .                      | 466*      |
| <i>Calamagrostis laponica</i> . . . . .               | 501 f        | — <i>extensa</i> . . . . .                         | 466*      |
| <i>Calluna vulgaris</i> . . . . .                     | 278 ff m     | — <i>flacca</i> . . . . .                          | 464, 470* |
| <i>Carex acuta</i> . . . . .                          | 470*         | — <i>flava</i> . . . . .                           | 470*      |

# VIII

<i>Carex globularis</i>	462, 467*	<i>Centaurea cretica</i>	164 f*
— <i>hartmanii</i>	468*	— <i>excapa</i>	165*
— <i>hirta</i>	464*	— <i>oliveriana</i>	167 f*
— <i>hostiana</i>	470*	— — <i>× raphanina</i>	168 ff*
— <i>lasiocarpa</i>	464*	— <i>raphanina</i>	168 ff* m
— <i>lepidocarpa</i>	464, 470*	— — <i>ssp. mixta</i>	168 ff* m
— <i>leporina</i>	477*	— — <i>ssp. mixta</i>	486
— <i>ligerica</i>	476*	— — <i>ssp. raphanina</i>	168 f* m
— <i>limosa</i>	467*	— <i>redempta</i>	166*
— <i>livida</i>	278 ff m, 468*	— <i>scyria</i>	166 f*
— <i>loliacea</i>	474*	— <i>solstitialis</i>	164*
— <i>mackenziei</i>	474*	— <i>spinosa</i>	162 ff*
— <i>magellanica</i>	467*	— <i>spruneri</i> ssp. <i>guicciardii</i>	166*
— <i>maritima</i>	472*	— <i>urvillei</i>	175 f*
— <i>montana</i>	462*	<i>Ceratophyllum submersum</i>	491
— <i>nigra</i>	471*	<i>Chrysanthemum leucanthemum</i>	23
— <i>obtusata</i>	467*	<i>Clinopodium vulgare</i>	202 ff* m
— <i>oederi</i> ssp. <i>oederi</i>	466*	— — ssp. <i>orientalis</i>	202 ff (306)* m
— — ssp. <i>pulchella</i>	466*	— — ssp. <i>villosa</i>	202 ff (205)* m
— <i>ornithopoda</i>	462*	— — ssp. <i>vulgare</i>	202 ff* m
— <i>otrubae</i>	472*	<i>Clitoria ternatea</i>	369 ff
— <i>pairaei</i>	476*	<i>Coeloglossum viride</i>	490
— <i>paleacea</i>	470*	<i>Delosperma cooperi</i>	314 ff*
— <i>pallescens</i>	462, 466*	<i>Dieranum scoparium</i>	339 f
— <i>panicea</i>	470*	<i>Dionysia</i>	144 ff
— <i>paniculata</i>	476*	— <i>archibaldii</i>	144 ff*
— <i>pauciflora</i>	461*	<i>Diplophyllum albicans</i>	339 f
— <i>pendula</i>	464*	<i>Diphysium complanatum</i>	500
— <i>pilulifera</i>	466*	<i>Eleocharis</i>	355 ff
— <i>pseudocyperus</i>	467*	— <i>ambigens</i>	360 f*
— <i>pulicaris</i>	471*	— <i>erythropoda</i>	356 ff*
— <i>punctata</i>	468*	— <i>fallax</i>	358 ff*
— <i>remota</i>	474*	— <i>halophila</i>	358 ff*
— <i>riparia</i>	462*	— <i>kamtschatica</i>	357 f*
— <i>rostrata</i>	467*	— <i>macrostachya</i>	360 ff*
— <i>silvatica</i>	466, 468*	— <i>palustris</i> (complex)	503 f
— <i>spicata</i>	476*	— <i>perlonga</i>	362 f*
— <i>strigosa</i>	464*	— <i>smallii</i>	363 ff*
— <i>tomentosa</i>	467*	<i>Elodea canadensis</i>	373 f
— <i>trinervis</i>	470*	<i>Endonema</i>	69 ff
— <i>tumidocarpa</i>	466*	— <i>lateriflora</i>	69 ff* m
— <i>vacillans</i>	470*	— <i>retzioides</i>	69 ff* m
— <i>vaginata</i>	468*	<i>Felicia gunillae</i>	197 ff*
— <i>vesicaria</i>	462, 467*	<i>Gischrocolla</i>	57 ff
— <i>vulpina</i>	476*	— <i>formosa</i>	57 ff* m, 81*
<i>Cassia occidentalis</i>	369 ff	<i>Ginkgo</i>	409 ff m
<i>Centaurea</i>	161 ff	<i>Hieracium aurantiacum</i>	23
— <i>argentea</i>	162*	<i>Hierochloë australis</i>	209 ff*

<i>Hierochloë odorata</i>	209 ff*	<i>Plantago albicans</i>	13 f*
— <i>monticola</i>	448 ff*	— <i>amplexicaulis</i> ssp. <i>amplexicaulis</i>	14 f*
<i>Histiopteris</i>	177 ff	— <i>bellardi</i> ssp. <i>deflexa</i>	12 f*
— <i>incisa</i>	177 ff*	— <i>coronopus</i> ssp. <i>commutata</i>	10 ff*
<i>Holycomium splendens</i>	342 f	— — ssp. <i>coronopus</i>	10 ff*
<i>Hypnum cupressiforme</i>	339 f	— <i>cretica</i>	12*
<i>Hypolepis</i>	177 ff	— <i>lagopus</i>	15*
— <i>punctata</i>	177 ff*	— <i>lanceolata</i>	15*
<i>Juncus gerardi</i>	434 ff	— <i>major</i> ssp. <i>intermedia</i>	10*
<i>Kniphofia</i>	41 ff	— <i>maritima</i>	435 ff
— <b>reflexa</b>	44	— <i>psyllium</i>	14*
— <b>reynoldsi</b>	44 ff*	<i>Pleurozium schreberi</i>	278 ff
<i>Lebeckia</i>	153 f	<i>Podocarpaceae</i>	504 f
— <i>capensis</i>	154	<i>Potentilla erecta</i>	278 ff
— <b>melilotoides</b>	268 ff* m	<i>Priestleya</i>	150 ff
— <i>pauciflora</i>	153*	— <i>laevigata</i>	151 f*
— <i>pungens</i>	153*	<i>Procopiana</i>	84 ff
— <i>sepiaria</i>	154*	<i>Pyrola</i>	423 ff
<i>Ledum palustre</i>	278 ff m	— <b>andresii</b>	429 ff* m
<i>Leucorchis albida</i>	375 f	— <b>karakoramica</b>	426 ff* m
<i>Lotononis</i>	158	<i>Rafnia</i>	157 f
— <i>involucrata</i>	158*	— <i>elliptica</i>	158
<i>Lycopodium complanatum</i>	500	<i>Rhacomitrium lanuginosum</i>	
<i>Mentha</i>	255 ff	—	277 ff m, 341 f
— <i>aquatica</i>	256 ff	<i>Rhytidiodelphus loreus</i>	338 f
— <i>arvensis</i>	256 ff	— <i>squarrosum</i>	341 f
— × <i>verticillata</i>	256 ff	<i>Riccardia pinguis</i>	342 f
<i>Mnium punctatum</i>	342 f	<i>Rosa</i>	1 ff, 137 ff, 249 ff, 393 ff
<i>Nastanthus chubutensis</i>	20	— <i>acicularis</i>	396*
— <i>compactus</i>	20	— <i>agrestis</i>	252 f*
— <b>falklandicus</b>	18 ff* m	— × <i>alba</i>	402
— <i>spathulatus</i>	20	— <i>camtschatica</i>	399
<i>Notosceptrum</i>	41 ff	— <i>canina</i>	137 ff*
<i>Orobanche minor</i>	488	— <i>caryophyllacea</i>	405
<i>Othonna</i>	297 ff	— <i>dumalis</i>	140 ff*
— <i>alba</i>	298*	— — ssp. <i>coriifolia</i>	143*
— <i>amplexicaulis</i>	298 ff	— — ssp. <i>dumalis</i>	143*
— <i>amplexifolia</i>	298 ff	— <i>elliptica</i> ssp. <i>inodora</i>	250 ff*
— <i>bulbosa</i>	298 ff*	— <i>majalis</i>	394 ff*
— <i>digitata</i>	299 ff*	— <i>marginata</i>	404
— <i>filicaulis</i>	299 ff*	— <i>micrantha</i>	253 f*
— <i>lasiocarpa</i>	299 ff	— <i>multiflora</i>	402
— <i>lobata</i>	299 ff*	— <i>obtusifolia</i>	138 ff*
— <i>opima</i>	299*	— <i>pendulina</i>	403
— <i>ramulosa</i>	300 ff	— <i>pimpinellifolia</i>	394 ff*
<b>Pentzia tomentosa</b>	199 ff*	— <i>rubiginosa</i>	249 f*
<i>Pinguicula villosa</i>	278 ff m	— <i>rugosa</i>	398 ff*
<i>Plantago</i>	9 ff	— <i>rubrifolia</i>	400*

<i>Rosa sherardii</i>	2 ff*	<i>Taeckholmia canariensis</i>	100 ff*
— var. <i>resinosoides</i>	4	— <i>capillaris</i>	100*
— var. <i>umbelliflora</i>	3 f*	— <i>heterophylla</i>	104*
— var. <i>venusta</i>	4	— <i>microcarpa</i>	112 ff*
— <i>tomentosa</i>	4 ff*	— <i>pinnata</i>	99 f*
— <i>villosa</i> ssp. <i>mollis</i>	6 f*	— <i>regis-jubae</i>	104 ff
— — <i>villosa</i>	7 f*	<i>Thuidium tamariscinum</i>	338 ff
— <i>virginiana</i>	403	<i>Trigonobalanus</i>	324 ff
<i>Salix myrtilloides</i>	277 ff m	— <i>doichangensis</i>	324 ff*
<i>Sanguisorba</i>	109 ff	— <i>verticillata</i>	326 ff*
— <i>minor</i>	109 ff*	<i>Valeriana sedifolia</i>	21*
<i>Sedum acre</i>	24	<i>Vicia bakeri</i>	52 ff*
<i>Seseli libanotis</i>	487	— <i>benthamiana</i>	51
<i>Sonchus</i>	95 ff, 456 ff	— <i>bithynica</i>	48
— <i>dregeanus</i>	459	— <i>faba</i>	56
— <i>friesii</i>	456 ff*	— <i>hirsuta</i>	50 f
— <i>integerrifolius</i>	459	— <i>monantha</i>	47 f
— <i>wilmsii</i>	459	— <i>narbonensis</i>	50
<i>Sphagnum</i>	345 ff	— <i>rigidula</i>	54
— <i>fuscum</i>	273 ff m	— <i>sativa</i>	48 f
— <i>magellanicum</i>	278 ff m	— <i>sepium</i>	49 f
— <i>papillosum</i>	278 ff m	— <i>tenuifolia</i>	52
— <i>tenellum</i>	278 ff m	— <i>tetrasperma</i>	51 f
<i>Symphytum</i>	84 ff	— <i>villosa</i>	56
— <i>circinale</i>	84 ff (90)* m	<i>Wiborgia</i>	154 ff
— <i>creticum</i>	84 ff (89)* m	— <i>armata</i>	154 ff*
<i>Taeckholmia</i>	95 ff	— <i>obcordata</i>	154*
— <i>arborea</i>	106		