

BOTANISKA NOTISER

1969, VOL. 122

ISSUED BY
LUNDS BOTANISKA FÖRENING

EDITED BY
INGEMAR BJÖRKQVIST

Tidskriften grundad 1839

DISTRIBUTOR: C. W. K. GLEERUP, LUND, SWEDEN

Distribution Dates

Fasc. 1, pp. 1—152, on 15 April 1969
Fasc. 2, pp. 153—314, on 30 July 1969
Fasc. 3, pp. 315—448, on 12 Nov. 1969
Fasc. 4, pp. 449—614, on 30 Dec. 1969

Contents (Innehållsförteckning)

BENTZER, B.: Chromosome Morphology in Aegean Populations of <i>Leopoldia</i> Parl. (<i>Liliaceae</i>)	457
BHANDARI, N. N. and INDIRA, K.: Studies in the Viscaceae IV. Embryology of <i>Eubranchion</i> (Hook. et Arn.) Engl.	183
BJÖRKQVIST, I., BOTHMER, R. VON, NILSSON, Ö. and NORDENSTAM, B.: Chromosome Numbers in Iberian Angiosperms	271
BOTHMER, R. VON: Studies in the Aegean Flora XIV. Studies in <i>Scutellaria</i> Section <i>Vulgares</i> Subsection <i>Peregrinæ</i> from Greece and Adjacent Turkey	38
DAHLGREN, R.: Comprehensive Key to the Species of <i>Aspalathus Leguminosae</i> ..	512
— and RAO, V. S.: A Study of the Family <i>Geissolomataceae</i>	207
EKBERG, L.: Studies in the Genus <i>Allium</i> I. A New Species of <i>Allium</i> (<i>Liliaceae</i>) from Turkey	20
— Studies in the Genus <i>Allium</i> II. A New Subgenus and New Sections from Asia	57
GAUNTZ, S.: Studier av två flyggberg i övre Vindeldalen (Studies of Two Moun- tains Near the Vindel River, Swedish Lapland)	295
HJELMQVIST, H.: Dinkel und Hirse aus der Bronzezeit Südschwedens nebst einigen Bemerkungen über ihre spätere Geschichte in Schweden	260
HYLANDER, N.: Några för Sverige nya förvildade eller adventiva fanerogamer (Some Subspontaneous or Adventive Plants New to Sweden)	604
KAPIL, R. N. and PRAKASH, N.: Embryology of <i>Cereus jamacaru</i> and <i>Ferocactus</i> <i>wislizeni</i> and Comments on the Systematic Position of the Cactaceae	409
KERS, L. E.: New and Little Known Stapeliads from Southern Angola	172
— <i>Cleome spinosa</i> Jacq. New to Africa	294
— Studies in <i>Cleome</i> III. Morphology and Distribution of Some African Species	549
LINDBERG, K. and RING, B.: Beitrag zur Kenntnis der Flora des Njuonjevare- Gebietes (Torne Lappmark, Nordschweden)	284
LUNDQVIST, N.: Zygopleurage and <i>Zygospermella</i> (<i>Sordariaceae</i> s. lat., Pyreno- mycetes)	353
— <i>Tripterospora</i> (<i>Sordariaceae</i> s. lat. Pyrenomycetes)	589
MOORE, D. M.: <i>Saxifragodes</i> , a New Genus of <i>Saxifragaceae</i> from Tierra del Fuego	322
NIHLGÅRD, B.: The Microclimate in a Beech and a Spruce Forest — a Comparative Study from Kongalund, Scania, Sweden	333
NILSSON, A.: On <i>Festuca pratensis</i> Huds. × <i>Lolium multiflorum</i> Lam. vid Lands- krona. Anteckningar om Landskronatraktens flora VII. (<i>Festuca pratensis</i> Huds. × <i>Lolium multiflorum</i> Lam. Near Landskrona, Scania, Sweden)	299

— Landskronatraktens adventiv- och ruderatflora III. Anteckningar om Landskronatraktens flora VIII (The Adventive and Ruderal Flora of Landskrona. Notes on the Flora of Landskrona VIII)	437
NILSSON, Ö.: Tre växtfynd från Skåne (Three Plant Finds from Scania)	607
NORDENSKIÖLD, H.: The Genus <i>Luzula</i> in Australia	69
NORDENSTAM, B.: Chromosome Studies on South African Vascular Plants	398
— and NILSSON, Ö.: Taxonomy and Distribution of <i>Veronica hederifolia</i> s. lat. (<i>Scrophulariaceae</i>) in Scandinavia	233
OREDRSSON, A.: Drawings of Scandinavian Plants 17—20. <i>Rubus</i> L. Subgen. <i>Rubus</i>	1
— Ditto 21—24. <i>Rubus</i> L. Subgen. <i>Rubus</i>	153
— Ditto 25—28. <i>Rubus</i> L. Subgen. <i>Rubus</i>	315
— Ditto 29—32. <i>Rubus</i> L. Subgen. <i>Rubus</i>	449
PERSSON, K.: <i>Viola pumila</i> Chaix funnen i Skåne (<i>Viola pumila</i> Chaix Discovered in Scania, South Sweden)	435
RAO, V. S. and DAHLGREN, R.: The Floral Anatomy and Relationships of Oliniaceae	160
RAVANKO, O.: Observations on the Genus <i>Monostroma</i> in the Northern Baltic Sea Area (Seili Islands, SW Archipelago of Finland)	228
RUNEMARK, H.: Reproductive Drift, a Neglected Principle in Reproductive Biology	90
RÜHLING, Å. and TYLER, G.: Ecology of Heavy Metals — a Regional and Historical Study	248
SKVORTZOV, B. V.: Siberian and Chinese Fresh Water Diatoms New to Science	375
SONESSON, M.: Studies on Mire Vegetation in the Torneträsk Area, Northern Sweden III. Winter Conditions of the Poor Mires	481
SOUTH, G. R.: A Note on <i>Pilayella</i> Bory 1823	298
STRID, A.: Variation in the Satellite Chromosomes of <i>Nigella doerfleri</i> (Ranunculaceae)	9
— <i>Garidella unguicularis</i> Lam. (Ranunculaceae) — New for Europe	330
— Evolutionary Trends in the Breeding System of <i>Nigella</i> (Ranunculaceae)	380
TYLER, G.: Aktuella problemställningar I (Current Problems I). Ekologiska problemställningar — med exempel från havsstrandängar	130
WACHENFELDT, T. von: Aktuella problemställningar II. Synpunkter på algfloran i Öresund (Current Problems II. Some Aspects of the Algal Vegetation in the Öresund)	427
WENDELBO, P.: New Subgenera, Sections and Species of <i>Allium</i>	25
— Two New Species of <i>Iris</i> from Afghanistan. Studies in the Flora of Afghanistan 10	204
A Joint Lund and Uppsala Symposium in Ecological Botany. Eds. M. P. LARSSON and H. SJÖRS)	303
Lunds Botaniska Förening (The Lund Botanical Society)	
Från Lunds Botaniska Förenings förhandlingar 1968	140
Lunds Botaniska Förening 1969	612
Reviews of Botanical Literature	
ANDERSSON, O.: Lömskt och läckert. Färgfoton av svampar i naturlig miljö. (By S.-O. STRANDHEDE)	312
Bot. Notiser, vol. 122, 1969	

BERGGREN, G.: <i>Atlas of Seeds. 2. Cyperaceae.</i> (By Ö. NILSSON)	446
DATTA, S. C.: <i>An Introduction to Gymnosperms.</i> (By S.-O. STRANDHEDE)	144
ERDTMAN, G.: <i>Handbook of Palynology.</i> (By Ö. NILSSON)	610
JALAS, J. (ed.): <i>Suuri Kasvikirja.</i> (By A. WEIMARCK and G. WEIMARCK)	145
LUTZ, E. L. SR.: <i>Handbook of Plastic Embedding of Animals, Plants and Various Objects.</i> (By I. BJÖRKQVIST)	312
LYE, K. A.: <i>Moseflora.</i> (By S.-O. STRANDHEDE)	143
MOHR, H.: <i>Lehrbuch der Pflanzenphysiologie.</i> (By S. PETTERSSON)	445
PIJL, L. VAN DER: <i>Principles of Dispersal in Higher Plants.</i> (By Ö. NILSSON) ..	609
Review of Palaeobotany and Palynology. An International Journal. (By Ö. NILSSON)	444
RYVARDEN, L.: <i>Flora over kjuker.</i> (By S.-O. STRANDHEDE)	143
STAFLEU, F. A.: <i>Taxonomic Literature. A Selected Guide to Botanical Publications with Dates, Commentaries and Types.</i> (By O. ALMBORN)	146
THOMAS, J. B.: <i>Einführung in die Photobiologie.</i> (By L. O. BJÖRN)	145
WARDLAW, C. W.: <i>Morphogenesis in Plants.</i> (By Ö. NILSSON)	311
Publications on the South African Genus <i>Aspalathus</i> L. (Genisteae, Leguminosae). — (A presentation by R. DAHLGREN [author])	150
Meddeleanden	302

Index (Register)

The index covers only taxa which have been treated in more detail. New taxa and new combinations are printed in boldface. * indicate illustration(s) (also of chromosomes) and m refers to a distribution map.

Registret upptager endast taxa som i något avseende blivit mera utförligt behandlade. Nya taxa och nya kombinationer betecknas med fetstil. * anger avbildning eller avbildningar (även av kromosomer) och m betecknar utbredningskarta.

<i>Abies balsamea</i>	605	— trachycoleum	35 f*
<i>Alkanna tinctoria</i>	106 m	<i>Amaranthus blitoides</i>	272*
<i>Alyssum minutum</i>	273*	<i>Amelanchier alnifolia</i>	442
<i>Allium</i>	20 f, 25 ff, 57 ff	<i>Amphora kolbei</i>	378*
— subgen. Allium	26	<i>Andromeda polifolia</i>	497 ff, 505
— sect. Acanthoprason	27 f	<i>Anomoeoneis kolbei</i>	378*
— subgen. Bromatorrhiza	58	<i>Anthemis scopulorum</i>	121 m
— sect. Bromatorrhiza	58 f*	<i>Anthyllis aegaea</i>	116 m
— caesioides	29 ff*	— hermanniae	103 m
— choriotepalum	31 f*	<i>Arenaria aegaea</i>	121 m
— sect. <i>Codonoprasum</i>	23	<i>Aspalathus</i>	512 ff
— sect. Coleoblastus	59 *	— <i>acocksi</i>	548
— elburzense	36*	— <i>aculeata</i>	523*, 529*
— sect. <i>Kaloprason</i>	29	— <i>alpestris</i>	517*
— <i>macranthum</i>	60*	— <i>argentea</i>	548
— <i>mairei</i>	61*	— <i>arida</i> ssp. <i>erecta</i>	529*
— sect. Megaloprason	28 f	— <i>asparagoides</i> ssp. <i>aspara-</i> — <i>goides</i>	523*, 529*
— subgen. Melanocrommyum	27	— <i>biflora</i> ssp. <i>biflora</i>	535*
— sect. Melanocrommyum	28	— <i>burchelliana</i>	523*
— microspathum	20 f*	— <i>calcarata</i>	523*
— subgen. Molium	26 f	— <i>caledonensis</i>	548
— nevskianum	37	— <i>callosa</i>	529*
— <i>oreophilum</i>	65 ff* m	— <i>carnosa</i>	529*
— pamiricum	32 f*	— <i>chenopoda</i>	529*
— panjaoëNSE	33 f*	— <i>chrysantha</i>	529*
— sect. Porphyroprason	65 ff* m	— <i>ciliaris</i>	529*
— registanicum	34 *	— <i>citrina</i>	535*
— subgen. Rhizirideum	25 f	— <i>comptonii</i>	517*
— sect. <i>Scorodon</i>	23	— <i>concava</i>	517*
— subnotabile	34 f*	— <i>concavifolia</i>	548
— sect. Thaumasioprason	29		

— cymbiformis	517*	— maritimus	275*
— dasyantha	523*	Astragalus spruneri	107 m
— diffusa	523*	Betula nana	497 ff, 505, 508
— ericifolia ssp. minuta	517*	Callithamnion corymbosum	430
— excelsa	529*	— hookeri	429
— forbesii	517*	Calluna vulgaris	290, 508 f
— glabrata	517*	Campanula subsect. Quinque-	
— glossoides	535*	loculares	113 m
— gracilifolia	548	Centaurea raphanina	105 m
— granulata	535*	Cerastium brachypetalum ssp.	
— hypnoides	535*	roeseri	272, 278
— hystrix	535*	Cereus jamacaru	409 ff*
— joubertiana ssp. joubertiana . .	535*	Chaetomium fiscicolum	596 f*
— juniperina ssp. grandis	529*	Charieis heterophylla	400*
— — ssp. juniperina	535*	Cineraria aspera	400x, 405
— leiantha	523*	Cistus parviflorus	103 m
— lenticula	535*	Cleome	549 ff*
— longipes	535*	afrospina	294 f
— lotiflora	548	coeruleo-rosea	562 ff* m
— macrantha	529*	conrathii	581 ff* m
— macrocarpa	529*	hassleriana	294 f
— marginata	523*	maculata	576 ff* m
— monosperma	523*	oxyphylla var. oxyphylla . .	566 ff* m
— mundiana	523*	— var. robusta	572 f* m
— nigra	529*	rubella	552 ff* m
— nudiflora	535*	spinosa	294 f
— pachyloba ssp. pachyloba . .	535*, 529*	schlechteri	573 ff* m
— patens	535*	Corallina officinalis	430
— perforata	523*	Corydalis decipiens	440 f*
— pinea	529*	densiflora	440 f*
— — ssp. pinea	535*	solida s. lat.	440 f*
— polyccephala	523*	Cotoneaster dielsianus	607 f
— prostrata	529*, 535*	Cymatopleura kolbei	379*
— rectistyla	523*	Cyperus marginatus	399*, 403
— recurva	517*, 535*	Dactylis marina	123 m
— rostripetala	535*	Daphne gnidium	274*
— rycroftii	535*	Delesseria sanguinea	429
— salteri	529*	Dianthus fruticosus	114 m
— sanguinea ssp. sanguinea . .	523*	Disparago kraussii	400*
— sericea	517*	Duvalia polita var. polita . .	177
— smithii	528*	Echinochloa crus-galli	265 ff*
— spectabilis	535*	Empetrum	
— triquetra	529*	hermaphroditum	497 ff, 505, 507 f
— truncata	529*	Eragrostis	401
— varians	529*	Eriophorum vaginatum	505
— variegata	523*, 529*	Eubranchion ambiguum	183 ff*
Asperula tournefortii	115 m	Euphorbia acanthothamnos . .	104 m
Asteriscus aquaticus	109 m	Felicia dregei	400*

- Ferocactus vislizeni* 409 ff*
Festuca arundinacea var. *aspera* .. 438 f
 — *pratensis* × *Lolium multiflorum* 299f*
Fritillaria erhartii 107 m
 — *tuntasia* 107 m
Garidella nigellastrum 330 ff m
 — *unguicularis* 330 ff m
Gazania krebsiana ssp. *arcto-*
 — *toides* 400, 405
Geissolomataceae 207 ff
Geissoloma marginatum 207 ff* m
Gomphonema kolbei 375*
Gyrosigma kolbei 376 *
 — — var. *ienisseiensis* 376*
 — — var. *obtusa* 376*
Hedera helix var. *hibernica* 607
Helichrysum amarginatum 115 m
Heliotropium 404
Huernia montana 179 ff*
Humicola sp. 594 f*
Hypericum empetrifolium 105 m
Hypnum cypresiforme 248 ff
Inula 113 m
 — *britannica* 442 f*
 — *graveolens* 276*
 — *heterolepis* 113 m
Iris porphyrochrysa 204 f*
 — *xanthochlora* 205 f*
Jasione blepharodon 275*
Ledum palustre 505
Leopoldia 457 ff*
 — *comosa* 462 f*
Lolium multiflorum 300 f*
Lotus preslii 273*
Luzula 69 ff
 — *acutifolia* 85 f*
 — *alpestris* 84*
 — *australasicia* 79 f*
 — *meridionalis* 71 f
 — — var. *densiflora* 76 ff*
 — — var. *flaecida* 76*
 — — var. *meridionalis* 74 f*
 — *oldfieldii* 80
 — — var. *angustifolia* 81 ff*
 — — var. *oldfieldii* 80 f*
Milula 59 f
Monostroma 228 ff*
 — *balticum* 228 ff*
- *grevillei* 231*
Nigella 380 ff
 — *degenii* 381 ff* m
 — *doerfleri* 9 ff* m, 381 ff* m
Oenanthe globulosa ssp.
 — *kunzei* 274*, 278
Olinia cymosa 161 ff
 — *usambarensis* 166 f*
Oliniaceae 160 f, 167 ff
Ononis pendula 273*
Othonna 406
 — *incisa* 401*
Panicum miliaceum 262 ff*
Pelargonium 404
Pilayella 298
Pinnularia kolbeiana 378*
Plectranthus 404
Pleurozium schreberi 507 f
Publicaria odora 277*
Ranunculus trilobus 273, 278
Rubus 1 ff m, 153 ff, 315 ff, 419 ff
 — *affinis* 158*
 — *axillaris* 320*
 — *chamaemorus* 497 ff, 505
 — *insularis* 454 f*
 — *laciniatus* 315*
 — *nessensis* var. *armatus* 4*
 — — var. *nessensis* 4*
 — *nitidus* 158*
 — *plicatus* 155 ff*
 — *polyanthemus* 455*
 — *pyramidalis* 454*
 — *scheutzii* 449*
 — *scissus* 4 f*
 — *selmeri* 315 ff*
 — *sprengelii* 320*
 — *sulcatus* 153*
Salsola aegaea 123 m
Salvia glutinosa 608
Sarcopoterium spinosum 102 m
Saxifraga magellanica 328*
Saxifragella bicuspidata 322, 327*
Saxifragodes 322 ff
 — *albowiana* 323 ff* m
Scutellaria 38 ff
 — *albida* 44* m
 — *condensata* ssp. *condensata* 43*
 — *naxensis* 39, 46 f* m

- pallida 46
- rubicunda ssp. hellenica 39
- — ssp. icarica 39, 50 ff*
- — ssp. samia 50 ff
- sieberi 44*
- vacillans 52 f* m
- velenovskyi 46 ff
- — ssp. goulimyi 50 m
- — ssp. perhispida 39, 49 m
- — ssp. velenovskyi 42*, 49 m
- woronowii 43*, 44, 45 m
- Senecio bicolor* 117 m
- Seseli gummiferum* 117 m
- Sideritis romana* 275*
- Silene holzmannii* 122 m
- laeta 272*
- sedoides 120 m
- Sordaria leucotricha* 596 f*
- Spergularia echinisperma* 272, 278
- marina 272, 278
- Spiraea × bumalda* 605
- tomentosa 606
- Stapelia parvula* 173 ff*
- schinzii var. **angolensis** 176 f
- Steirodiscus speciosus* 401, 406
- Taraxacum obovatum* 277*
- Tavaresia angolensis* 177 f
- grandiflora 178
- Tordylium aegaeum* 109 m
- apulum 108 m
- Tradescantia × andersoniana* 605
- Trailliella intricata* 430
- Tripterospora* 589 ff
- erostrata 590 ff*
- **latipes** 592 ff*
- **leucotricha** 596 f*
- longicaudata 598 f*
- tetraspora 600 f*
- Triticum spelta* 260 ff*
- Vaccinium myrtillus* 497 ff, 505
- uliginosum 497 ff, 505
- vitis-idaea 505
- Veronica hederifolia* s. lat. 233 ff
- hederifolia s. str. 233 ff
- hederifolia ssp. hederifolia 242 f* m
- — ssp. lucorum 242 f* m
- sublobata 233 ff
- Viola pumila* 435 ff m
- Zinnia multiflora* 401*
- Zygopleurage* 353 f
- **faiyumensis** 354 ff*
- multicaudata 358
- zygospora 358 ff*
- Zygospermella* 363 f
- insignis 368 ff*
- **striata** 364 ff*

Universitetsbiblioteket

20 APR 1970

LUND