



BOTANISKA NOTISER

1974, VOL. 127

PUBLISHED BY
THE LUND BOTANICAL SOCIETY

EDITED BY
GUNNAR WEIMARCK

Established in 1839

DISTRIBUTOR: C. W. K. GLEERUP, LUND, SWEDEN

Dates of Distribution

Fasc. 1, pp. 1—158, on 29 March 1974
Fasc. 2, pp. 159—290, on 13 Sept. 1974
Fasc. 3, pp. 291—456, on 28 Nov. 1974
Fasc. 4, pp. 457—552, on 30 Dec. 1974

ISSN 0006-8195

LUND 1974 CARL BLOMS BOKTRYCKERI A.-B.

Contents

AHMAD, K. J.: Cuticular and Epidermal Structures in Some Species of <i>Eranthemum</i> and <i>Pseuderanthemum</i> (Acanthaceae)	256
BENTZER, B.: Karyotypes and Meiosis in <i>Leopoldia</i> Parl. (Liliaceae) from the Southern and Central Aegean (Greece)	69
— BOTHMER, R. VON & WENDELBO, P.: Cytology and Morphology of the Genus <i>Hyacinthus</i> L. s. str. (Liliaceae)	297
BÖCHER, T. W.: Variation and Distribution Pattern in <i>Draba sibirica</i> (Pall.) Thell.	317
BOTHMER, R. VON: Karyotype of <i>Allium chamaespathum</i> Boiss.	546
BOULOS, L.: Révision Systématique du Genre <i>Sonchus</i> L. s.l. V. Sous-genre 2. <i>Dendrosonchus</i>	7
— Ditto VI. Sous-genre 3. <i>Origosonchus</i> . Genres <i>Embergeria</i> , <i>Babcockia</i> et <i>Taeckholmia</i> . Species exclusae et dubiae. Index	402
BRECKLE, S.-W.: Notes on Alpine and Niwal Flora of the Hindu Kush, East Afghanistan	278
CARLSSON, M., ELLMER, E., NOLIN, A., NYBERG, K. & WIKING, C.: Chromosome Morphology in <i>Scilla hyacinthoides</i> L.	87
CHAO, C. Y.: Megasporogenesis and Megagametogenesis in <i>Paspalum commersonii</i> and <i>P. longifolium</i> at Two Polyploid Levels	267
ENGSTRAND, L. & GUSTAFSSON, M.: Drawings of Scandinavian Plants 94—96. <i>Chenopodium</i> L.	1
— Ditto 97—99. <i>Chenopodium</i> L.	159
— Ditto 100. <i>Chenopodium</i> L.	291
— Ditto 81—100. <i>Chenopodium</i> L.	457
GETAHUN, A.: Developmental Anatomy of Seedlings of <i>Anchoté</i> , <i>Coccinia abyssinica</i> (W. & A.) Cogn. (Cucurbitaceae)	211
GOEPFERT, D.: Karyotype and DNA Content in Species of <i>Ranunculus</i> L. and Related Genera	464
GUSTAFSSON, M.: Evolutionary Trends in the <i>Atriplex triangularis</i> Group of Scandinavia. III. The Effects of Population Size and Introgression on Chromosomal Differentiation	125
— & SNOGERUP, S.: Studies in the Aegean Flora. XXII. The Flora of the Island of Skantzoura	364
HÅKANSSON, H.: <i>Achnanthes pseudobiceps</i> nov. spec., eine neue Achnanthes-Art aus dem Barsebäcks mosse (Südschweden)	373
HAMANN, O.: Contributions to the Flora and Vegetation of the Galápagos Islands. I. New Floristic Records from the Archipelago	245
— Ditto II. A New Subspecies of <i>Lycopodium</i> from the Archipelago	252
— Ditto III. Five New Floristic Records	309
HOLM-NIELSEN, L. B.: Notes on Central Andean Passifloraceae	338
JOHANSSON, D.: <i>Rhipidoglossum paucifolium</i> , a New African Species of Orchidaceae	149
JONSELL, B.: <i>Coronopus zambiensis</i> (Cruciferae), a New Species from Tropical Africa	113
KARLSSON, TH.: Recurrent Ecotypic Variation in Rhinantheae and Gentianaceae in Relation to Hemiparasitism and Mycotrophy	527
KAUL, V. & SARIN, Y. K.: Studies on the Vegetation of the Bhadarwah Hills. I. Altitudinal Zonation	500
KHALEEL, T. F.: Embryology of <i>Cynoglossum denticulatum</i> DC.	193
— & BORAIAH, G.: Cytotaxonomic Studies in Three Species of <i>Zephyranthes</i>	508
KLÁŠTERSKÁ, I. & KLÁŠTERSKÝ, I.: Cytology and Some Chromosome Numbers of Czechoslovak Roses II	328
LUNDGREN, J.: The Genus <i>Petalacte</i> D. Don (Compositae)	119
LYE, K. A.: Studies in African Cyperaceae X. New Taxa and Combinations in <i>Fuirena</i> Rottb.	109
— Ditto XI. New Taxa and Combinations in <i>Abildgaardia</i> Vahl	493
— Ditto XII. New Taxa and Combinations in <i>Fimbristylis</i> Vahl	498
— & HAINES, R. W.: Ditto XIII. New Taxa and Combinations in <i>Isolepis</i> R. Br.	522
MOORE, D. M. & GOODALL, R. N. P.: Further Additions to the Native Vascular Flora of Tierra del Fuego	38
— & YATES, B.: <i>Armeria</i> L. in South America	183
NORDENSTAM, S. & VAN SOEST, J. L.: <i>Taraxacum leporinum</i> spec. nov.	490
OLESEN, P.: Leaf Anatomy and Ultrastructure of Chloroplasts in <i>Salsola kali</i> L. as Related to the C ₄ -pathway of Photosynthesis	352
OREDSSON, A.: Frequency Mapping of Blackberry Species (<i>Rubus</i> L. Subgen. <i>Rubus</i>) in Sweden. II. Distributional Patterns	44

PHITOS, D. & KAMARI, G.: Zytotaxonomische Beiträge zur Flora von Kreta I	302
RAVENNA, P.: Cobana, a New Genus of Central American Iridaceae	104
RUNEMARK, H.: Studies in the Aegean Flora. XXIII. <i>Goniolimon</i> Boiss. (Plumbaginaceae)	540
SKVORTSOV, A. K. & RUSANOVITCH, I. I.: Scanning Electron Microscopy of the Seed-Coat Surface in <i>Epilobium</i> Species	392
SUNHEDE, S.: Studies in Gasteromycetes II. Notes on the Morphology and Intraspecific Variation in <i>Gastrum umbilicatum</i> Fr.	376
THULIN, M.: Gunillaea and Namacodon. Two New Genera of Campanulaceae in Africa	165
WEIMARCK, G.: Population Structures in Higher Plants as Revealed by Thin-layer Chromatographic Patterns	224
WENDELBO, P.: <i>Tulipa kurdica</i> sp. nov. from Iraq	276
WEYMOUTH, C. G. & CHAUDHARY, S. A.: Karyotypes of Iris Subgenus <i>Susiana</i> Species in Lebanon and Syria	513
WIGH, K.: The European Genera of the Family Brachytheciaceae (Bryophyta) and Chromosome Numbers Published in the Genus <i>Brachythecium</i>	89
 In Memoriam	
Gustaf VI Adolf 1882—1973 (by the Editor)	157
 Reviews of Botanical Literature	
BAEUMER, K.: Allgemeiner Pflanzenbau. (By U. OLSSON)	453
BIDAULT, M.: Variation et spéciation chez les végétaux supérieurs. Notions fondamentales de systématique moderne. (By G. WEIMARCK)	285
DAHLGREN, R.: Angiospermernes taxonomi. Bind 1. (By TH. KARLSSON)	548
DODGE, C. W.: Lichen Flora of the Antarctic Continent and Adjacent Islands. (By O. ALMBORN)	454
DREBES, G.: Marines Phytoplankton. (By L. EDLER)	452
EHRENDORFER, F.: Liste der Gefässpflanzen Mitteleuropas. 2nd ed. (By O. ALMBORN)	287
ENCKE, F. & BUCKHEIM, G. (eds.): Zander, Handwörterbuch der Pflanzennamen. 10th ed. (By O. ALMBORN)	286
FERRY, B. W., BADDELEY, M. S. & HAWKSORTH, D. L. (eds.): Air Pollution and Lichens. (By O. ALMBORN)	155
GJÆRUM, H. B.: Nordens Rustsopper. (By O. ALMBORN)	551
HALE, M. E.: The Biology of Lichens. 2nd ed. (By O. ALMBORN)	456
HEGNAUER, R.: Chemotaxonomie der Pflanzen. Band 6. (By U. OLSSON)	454
HUBBARD, C. E.: Gräser. Beschreibung, Verbreitung, Verwendung. (By G. WEIMARCK)	285
JALAS, J. & SUOMINEN, J. (eds.): Atlas Flora Europaea. 1—2. (By O. ALMBORN)	288
KULLENBERG, B. & STENHAGEN, E. (eds.): The Ecological Station of Uppsala University on Öland 1963—1973. (By B. WIDÉN)	154
LÖVE, Á. & LÖVE, D.: Cytotaxonomical Atlas of the Slovenian Flora. (By G. WEIMARCK)	551
NILSSON, S. (ed.): World Pollen and Spore Flora 1—2. (By R. DAHLGREN)	152
STAFLEU, F. (ed.): Index Herbariorum. Part I. The Herbaria of the World. 6th ed. (By O. ALMBORN)	549
VALENTINE, D. H. (ed.): Taxonomy, Phytogeography and Evolution. (By S. SNOGERUP)	153
WINTERL, J. J.: Index Horti Botanici Hungaricae, que Pestini est. (By L. ENGSTRAND)	452

Index

The index covers only taxa which have been treated in more detail. New taxa and new combinations are printed in boldface. f indicates illustration(s) (also of chromosomes) and m refers to a map. Each taxon is only indexed once per article.

<i>Abies pindrow</i>	500	<i>Babcockia</i>	428
<i>Abildgaardia abortiva</i>	495	— <i>platylepis</i>	f m 428
— <i>argenteobrunnea</i>	495	<i>Benthamiella patagonica</i>	39
— <i>buchananii</i>	495	<i>Berberis lycium</i>	505
— <i>burchellii</i>	495	<i>Blackstonia perfoliatum</i>	530
— <i>capillaris</i>	495	<i>Bolanthus creutzburgii</i>	305
— <i>cardiocarpoides</i>	495	— <i>graecus</i>	f 305
— <i>clarkeana</i>	495	<i>Boopis patagonica</i>	40
— <i>coelotricha</i>	495	<i>Brachytheciaceae</i>	90
— <i>congolensis</i>	495	<i>Brachythecium</i>	88
— <i>contexta</i>	495	— sect. <i>Albicans</i>	99
— <i>densa</i>	495	— sect. <i>Reflexa</i>	96
— <i>filamentosa</i>	495	— sect. <i>Rutabula</i>	99
— — var. <i>holubii</i>	495	— sect. <i>Salebrosa</i>	99
— — var. <i>metralis</i>	495	— sect. <i>Velutina</i>	99
— <i>glaberrima</i>	495	<i>Brassica cretica</i>	366
— <i>hispidula</i>	496	<i>Bromus racemosus</i>	535
— — var. <i>filiformis</i>	496	<i>Bryhnia</i>	93
— — var. <i>oligostachys</i>	496	<i>Bupleurum tenuissimum</i>	534
— — var. <i>pyriformis</i>	f 494	<i>Callianthemum</i>	483
— <i>humilis</i>	496	<i>Campanula sporadum</i>	364
— <i>johNSTONII</i>	496	<i>Camptothecium</i>	91
— <i>macra</i>	496	<i>Canavalia dictyota</i>	312
— <i>miegei</i>	496	<i>Cardamine bulbifera</i>	225
— <i>oritreptes</i>	497	<i>Carlina vulgaris</i>	534
— <i>pusilla</i>	497	<i>Carum carvi</i>	534
— <i>schimperiana</i>	f 496	<i>Cedrus deodara</i>	500
— <i>scleropus</i>	497	<i>Centaurea rechingeri</i>	364
— <i>setifolia</i>	497	<i>Centaurium</i>	535
— <i>sphaeroocarpa</i>	497	<i>Ceratocephalus</i>	464
— <i>taylorii</i>	497	— <i>testiculatus</i>	f 471
— <i>ugandensis</i>	f 493	<i>Ceratophyllum llerenae</i>	f 245
— <i>wombaliensis</i>	497	<i>Chamaenerion latifolium</i>	f 393
<i>Acer pictum</i>	505	<i>Chamberlainia</i>	91
<i>Achnanthes pseudobiceps</i>	f 373	<i>Chenopodium</i>	457
<i>Adonis</i>	483	— sect. <i>Agathophyton</i>	458
<i>Aesculus indica</i>	505	— sect. <i>Botryooides</i>	458
<i>Allium amethystinum</i>	546	— sect. <i>Chenopodium</i>	458
— <i>chamaespathum</i>	f 546	— sect. <i>Degenia</i>	458
<i>Amblystegiaceae</i>	90	— sect. <i>Eublitum</i>	458
<i>Androsace pusilla</i>	39	— sect. <i>Pseudoblitum</i>	458
<i>Anthemis flexicaulis</i>	366	— <i>album</i>	291 457
<i>Antigonon leptopus</i>	246	— — ssp. <i>album</i>	f 294 f 458
<i>Armeria maritima</i>	m 183	— — — var. <i>borbasii</i>	f 294
— — subsp. <i>andina</i>	191	— — — ssp. <i>densifoliatum</i>	f 295
<i>Atriplex calotheca</i>	f 125	— — — ssp. <i>diversifolium</i>	295
— <i>glabriuscula</i>	f 125	— — — ssp. <i>fallax</i>	f 295 f 458
— <i>longipes</i> ssp. <i>longipes</i>	f m 125	— — — ssp. <i>microphyllum</i>	f 294 f 458
— — ssp. <i>praecox</i>	m 125	— — — ssp. <i>ovatum</i>	295
— <i>recurva</i>	366	— — — ssp. <i>virgatum</i>	f 295 f 458
— <i>triangularis</i>	f m 125	— <i>berlandieri</i>	f 1 f 458

— — ssp. <i>zschackei</i>	f	1	— <i>nervosum</i>	f	393
— <i>bonus-henricus</i>	f	458	— <i>nutans</i>		393
— <i>botryodes</i>	f	458	— <i>obscurum</i>		393
— <i>botrys</i>	f	457	— <i>palustre</i>	f	393
— <i>capitatum</i>	f	457	— <i>paniculatum</i>	f	392
— <i>ficifolium</i>	f	457	— <i>parviflorum</i>	f	393
— <i>foliosum</i>	f	458	— <i>roseum</i>	f	393
— <i>glaucum</i>	f	458	— <i>rubescens</i>	f	393
— <i>hircinum</i>		458	— <i>tetragonum</i>		393
— <i>hybridum</i>	f	458	<i>Eranthemum</i>		256
— <i>murale</i>	f	458	— <i>albo-marginata</i>	f	256
— <i>opulifolium</i>	f	159	— <i>capense</i>		256
— <i>polyspermum</i>	f	458	— <i>nervosum</i>	f	256
— <i>pratericola</i>	f	4	— <i>purpurascens</i>	f	256
— <i>rubrum</i>	f	458	— <i>roseum</i>	f	258
— <i>schraderianum</i>	f	458	— <i>wattii</i>	f	258
— <i>strictum</i>	f	162	<i>Euphorbia apios</i>	f	302
— <i>sueicum</i>	f	160	— <i>dimorphocaulon</i>	f	302
— <i>urbicum</i>	f	4	— <i>portulacoides</i>		38
— <i>vulvaria</i>	f	458	<i>Euphrasia</i>		527
<i>Cicendia filiformis</i>		537	<i>Euryhynchium</i>		94
<i>Cinchona succirubra</i>	f	313	<i>Fimbristylis complanata</i> var. <i>keniaeensis</i>	499	
<i>Circaea alpina</i>		225	— — var. <i>subaphylla</i>	499	
— <i>intermedia</i>		225	— <i>robusta</i>	f	498
— <i>lutetiana</i>		225	<i>Fraxinus excelsior</i>		505
<i>Cirriphyllum</i>		93	<i>Fuirena angolensis</i>		112
<i>Cirsium palustre</i>		535	— <i>microcarpa</i>		111
<i>Cobana guatemalensis</i>	f m	104	— <i>pubescens</i> var. <i>abbreviata</i>	f	112
<i>Coccinia abyssinica</i>	f	211	— — var. <i>major</i>		112
<i>Convolvulus oleifolius</i>		366	— <i>sagittata</i>	f	110
<i>Coronopus integrifolius</i>	f	114	— <i>zambesiaca</i>	f	109
— <i>zambiensis</i>	f	113	<i>Gagea lutea</i>		225
<i>Cratoneurella</i>		91	<i>Geastrum badium</i>		376
<i>Crepis auriculaefolia</i>	f	306	— <i>elegans</i>		376
— <i>incana</i>	f	306	— <i>umbilicatum</i>	f	376
— <i>sibthorpiana</i>	f	306	<i>Gentianaceae</i>		527
<i>Crescentia cujete</i>		248	<i>Gentianella</i>		528
<i>Cynoglossum denticulatum</i>		193	<i>Goniolimon collinum</i>	f m	540
<i>Daedalacanthus</i>		262	— <i>sartorii</i>	f m	541
<i>Dioclea reflexa</i>		311	<i>Gunillaea</i>		166
<i>Draba repens</i>		320	— <i>emirnensis</i>	f m	166
— <i>sibirica</i>	f	316	— <i>rhodesica</i>	f m	168
— — ssp. <i>arctica</i>	f	322	<i>Halimione portulacoides</i>		366
<i>Ebenus cretica</i>	f	305	<i>Hedypnois cretica</i>		366
— <i>sibthorpii</i>	f	305	<i>Heterocodon</i>		172
<i>Eleogiton</i>		525	<i>Hieracium vulgatum</i>		225
<i>Eleutherine</i>		104	<i>Histiopteris incisa</i>	m	249
<i>Embergeria</i>		424	<i>Homalothecium</i>		91
— <i>grandifolia</i>	f m	424	<i>Hyacinthus litwinowii</i>	f	297
— <i>megalocarpa</i>	m	426	— <i>orientalis</i>	f	297
<i>Entodon</i>		91	— <i>transcaspicus</i>	f	297
<i>Entodontaceae</i>		90	<i>Hypnaceae</i>		90
<i>Epilobium adenocaulon</i>	f	393	<i>Ipomoea batatas</i>		248
— <i>alsinifolium</i>	f	393	<i>Iris subg. Susiana</i>		513
— <i>anagallidifolium</i>	f	393	— <i>auranitica</i>	f	514
— <i>collinum</i>	f	393	— <i>barnumae</i> var. <i>zenobiae</i>	f	514
— <i>davuricum</i>	f	393	— <i>basaltica</i>	f	514
— <i>exaltatum</i>		393	— <i>bostrensis</i>	f	514
— <i>hirsutum</i>	f	392	— <i>cedreti</i>	f	514
— <i>hornemannii</i>	f	393	— <i>kasruwana</i>	f	514
— <i>lanceolatum</i>	f	393	— <i>kirkwoodii</i> ssp. <i>kirkwoodii</i>	f	516
— <i>minutiflorum</i>	f	393	— — ssp. <i>calcarea</i>	f	514

— <i>ssofarana</i>	f	514	<i>Prismatocarpus</i>	m	178
— <i>yebrudii</i> ssp. <i>yebrudii</i>	f	516	— <i>sessilis</i> var. <i>macrocarpus</i>	f	177
— — <i>ssp. edgecombi</i>	f	514	<i>Prunus cornuta</i>		505
<i>Isolæpis fluitans</i> var. major	f	522	<i>Pseuderanthemum</i>		256
— <i>graminoides</i>		525	— <i>atropurpureum</i>	f	260
— <i>kilimanjarica</i>	f	522	— <i>bicolor</i>	f	260
— <i>ruwenzoriensis</i>	f	524	— <i>grandiflorum</i>	f	261
<i>Koenigia islandica</i>		535	— <i>kewense</i>	f	261
<i>Laccopetalum</i>		483	— <i>malaccense</i>	f	261
<i>Lactuca acanthifolia</i>	f	307	— <i>variabile</i>	f	261
— <i>eeburnea</i>		307	<i>Psilotum nudum</i>	m	249
<i>Latthyrsus nervosus</i>		39	<i>Pterigynandrum</i>		91
<i>Lembophyllaceae</i>		90	<i>Pterogonium</i>		91
<i>Leontodon tuberosus</i>	f	306	<i>Pylaisia</i>		91
<i>Leopoldia comosa</i> × <i>weissii</i>	f	76	<i>Quercus coccifera</i>		316
— <i>cycladica</i> ssp. <i>cycladica</i>	f m	72	— <i>floribunda</i>		500
— — <i>ssp. subsessilis</i>	f m	72	— <i>ilex</i>		365
— <i>dionysica</i>	f m	72	— <i>incana</i>		500
— <i>sspreitzenhoferi</i>	f	72	— <i>semecarpifolia</i>		504
— <i>wweissii</i>	f m	70	<i>Ranunculus</i>		464
<i>Lesscuraea</i>		90	— sect. <i>Aconitifolii</i>		468
<i>Leskeaceae</i>		90	— sect. <i>Auricomus</i>		468
<i>Linum catharticum</i>		534	— subg. <i>Batrachium</i>		469
<i>Littorella australis</i>		40	— sect. <i>Coptidium</i>		468
<i>Lomatogonium rotatum</i>		536	— sect. <i>Crymodes</i>		468
<i>Luzula pilosa</i>		225	— sect. <i>Echinella</i>		469
<i>Lycopodium setaceum</i>	f	253	— sect. <i>Ficaria</i>		467
— — <i>ssp. galapagense</i>	f	253	— sect. <i>Flammula</i>		469
<i>Mattisia cordata</i>	f	312	— sect. <i>Halodes</i>		468
<i>Medicago arborea</i>		366	— sect. <i>Hecatonia</i>		469
— <i>Ilupulina</i>		534	— sect. <i>Leucoranunculus</i>		468
<i>Melampyrum</i>		527	— sect. <i>Micranthus</i>		469
<i>Melandrium rubrum</i>		225	— sect. <i>Physophyllum</i>		467
Nanmacodon schinzi	f m	173	— sect. <i>Pseudaphanostemma</i>		468
<i>Narcissus serotinus</i>	f	308	— sect. <i>Ranuncella</i>		468
<i>Nepeta pamirens</i>		284	— sect. <i>Ranunculastrum</i>		467
<i>Odoontites</i>		530	— subgen. <i>Ranunculus</i>		465
<i>Orthocarpus</i>		530	— sect. <i>Ranunculus</i>		465
<i>Orthothecium</i>		91	— sect. <i>Thora</i>		468
<i>Papaver strigosum</i>		366	— <i>acris</i>	f	471
<i>Paroxygraphis</i>		483	— <i>chius</i>	f	471
<i>Parratiopsis jacquemontiana</i>		505	— <i>cortusifolius</i>		475
<i>Paspalum commersonii</i>	f	267	— <i>cymbalaria</i>		475
— <i>longifolium</i>	f	267	— <i>ficaria</i>		225
<i>Passiflora cauea</i>	f	348	— <i>flagelliformis</i>	f	309
— <i>harlingii</i>	f	339	— <i>lapponicus</i>	f	475
— <i>mixta</i> var. <i>pilaloensis</i>	f	343	— <i>lateriflorus</i>	f	479
— <i>ssparrei</i>	f	344	— <i>ophioglossifolius</i>	f	479
<i>Pedicularis palustris</i>		530	— <i>pentandrus</i>	f	471
<i>Peraacarpa</i>		172	<i>Rhinanthae</i>		527
<i>Petaalacte</i>		119	<i>Rhinanthus</i>		527
— <i>coronata</i>	f m	119	<i>Rhipidoglossum paucifolium</i>	f	149
— <i>canescens</i>		120	<i>Rhododendron campanulatum</i>		501
<i>Peucedanum palustre</i>		535	<i>Rhus succedanea</i>		505
<i>Phaiophleps biflora</i>		41	<i>Rhynchosstiella</i>		95
— <i>lyckholmi</i>	m	41	<i>Rhynchosstegium</i>		94
<i>Phillyrea latifolia</i>		365	<i>Rosa blandaean</i>		331
<i>Picea smithiana</i>		504	— <i>canina</i> var. <i>dumalis</i>		331
<i>Pinus halepensis</i>		365	— — var. <i>lutetiana</i>		331
— <i>wallichiana</i>		500	— <i>coriifolia</i>		332
<i>Platyglygium</i>		91	— — var. <i>froebelii</i>		332
<i>Pothomorphe peltata</i>	f	247	— <i>corymbifera</i>		332

— — var. <i>platyphylla</i>	332	— <i>bornmuelleri</i>	f m	14
— <i>denudata</i>	333	— <i>brachylobus</i>	f m	24
— <i>gizellae</i>	333	— — var. <i>canariae</i>	f m	26
— — <i>×eglanteria</i>	334	— <i>camporum</i>	f m	409
— <i>inodora</i>	333	— <i>canariensis</i>	f m	29
— <i>intricata</i>	331	— — subsp. <i>orotavensis</i>	f m	31
— <i>jundzillii</i>	329	— <i>congestus</i>	f m	7
— — var. <i>heteracantha</i>	329	— <i>daltonii</i>	f m	13
— — var. <i>nemorivaga</i>	330	— <i>dregeanus</i>	f m	418
— — var. <i>trachiphylla</i>	330	— <i>fauces-orci</i>	f m	22
— <i>pendulina</i>	329	— <i>friesii</i>	f m	421
— — var. <i>pubescens</i>	329	— <i>fruticosus</i>	f m	31
— — <i>×vosagiaca</i>	335	— <i>gandogerii</i>	f m	33
— <i>pycnacantha</i>	332	— <i>gomerensis</i>	f m	17
— <i>sherardii</i>	334	— <i>gummifer</i>	f m	19
— <i>squarrosa</i>	331	— <i>hierrensis</i>	f m	11
— <i>subcanina</i>	331	— <i>integrifolius</i>	f m	419
— <i>tomentosa</i>	334	— <i>lidii</i>	f m	33
— — var. <i>subglobosa</i>	334	— <i>luxurians</i>	f m	414
<i>Rubus axillaris</i>	m 56	— <i>melanolepis</i>	f m	416
— <i>bellardii</i>	m 45	— <i>nanus</i>	f m	423
— <i>corylifolius</i> agg.	m 52	— <i>obtusilobus</i>	f m	417
— <i>fucus</i>	m 47	— <i>palmensis</i>	f m	28
— <i>hartmanii</i>	m 47	— <i>pinnatifidus</i>	f m	22
— <i>insularis</i>	m 53	— <i>pinnatus</i>	f m	26
— <i>lindebergii</i>	m 53	— <i>pitardii</i>	f m	35
— <i>nessensis</i>	m 57	— <i>radicatus</i>	f m	16
— <i>nitidus</i>	m 56	— <i>schweinfurthii</i>	f m	402
— <i>plicatus</i>	m 56	— <i>stenophyllus</i>	f m	408
— <i>radula</i>	m 53	— <i>ustulatus</i>	f m	20
— <i>scheutzii</i>	m 47	— <i>wilmsii</i>	m	422
— <i>scissus</i>	m 60	<i>Spergularia marina</i>		38
— <i>sprengelii</i>	m 53	<i>Steptorhamphus tuberosus</i>	f	307
— <i>sulcatus</i>	m 47	<i>Taeckholmia</i>		429
— <i>taeniarum</i>	m 53	— <i>arborea</i>	f m	438
— <i>thyrsanthus</i>	m 47	— <i>canariensis</i>	f m	433
— <i>vestitus</i>	m 56	— <i>capillaris</i>	f m	432
<i>Ruppia filifolia</i>	40	— <i>heterophylla</i>	f m	435
<i>Saccharum officinarum</i>	353	— <i>microcarpa</i>	f m	434
<i>Salsola kali</i>	f 352	— <i>pinnata</i>	f m	429
<i>Scabiosa sphaciotica</i>	f 306	— <i>regis-jubae</i>	f m	437
<i>Scilla hyacinthoides</i>	f 87	<i>Taraxacum langeanum</i> Gruppe		491
<i>Scleropodium</i>	92	— <i>leporinum</i>	f	490
<i>Scorpiurium</i>	95	<i>Thymus serpyllum</i>		225
<i>Senecio aquaticus</i>	535	<i>Tigridia</i>		104
— <i>viscosus</i>	225	<i>Trautvetteria</i>		464
<i>Sessilantha</i>	105	<i>Trifolium dubium</i>		534
<i>Silene fabaria</i>	366	<i>Tulipa kurdica</i>		276
<i>Sonchus</i> sous-genre <i>Dendrosonchus</i>	7	<i>Valeriana dioica</i>		225
— sous-genre <i>Origosonchus</i>	402	<i>Veronica thymifolia</i>	f	305
— <i>acaulis</i>	f m 9	<i>Viburnum nervosum</i>		504
— <i>afromontanus</i>	f m 410	<i>Viola mirabilis</i>		225
— <i>angustissimus</i>	f m 406	<i>Zannichellia palustris</i>		40
— <i>bipontini</i>	411	<i>Zea mays</i>		353
— — var. <i>bipontini</i>	f m 411	<i>Zephyranthes atamasco</i>	f	508
— — var. <i>glanduligerus</i>	f m 412	— <i>carinata</i>	f	508
— — var. <i>louisii</i>	f m 414	— <i>texana</i>	f	508

Contents of Svensk Botanisk Tidskrift 68 (1974)

For the convenience of our readers we present the contents of the other Swedish journal of phytotaxonomy, Svensk Botanisk Tidskrift, for 1974. Book reviews etc. are not included.

68(1)	
SINGH, K. G.: Mycorrhiza in the Ericaceae with special reference to <i>Calluna vulgaris</i>	
OHLANDER, M.: Floristiska bidrag från Välinge och Stavnared i norra Halland (floristic notes from the parishes of Välinge and Stavnared in northern Halland, southern Sweden)	1
WANNTORP, H.-E.: <i>Calotropis gigantea</i> (Asclepiadaceae) and <i>Xylopa tenuiscapa</i> (Hymenoptera, Apidae)	17
THOMASSON, K.: Some planktic Staurastra from New Zealand. 3	25
HJORTSTAM, K.: Studies in the Swedish species of the genus <i>Tomentella</i> (Thelephoraceae). III. The genus <i>Tomentellopsis</i>	33
LARSSON, K.-H. & HJORTSTAM, K.: <i>Luellia</i> , a new genus in the Corticiaceae (Basidiomycetes)	51
FAGERLIND, F. & MASSALSKI, A.: The development of cell walls and intercellulares in the root of <i>Lemna minor</i> L.	57
LUNDQVIST, Å.: Betrachtungen über zwei ölandische Orobanchaceen	64
LOHAMMAR, G.: <i>Ranunculus peltatus</i> i Häggsjön — en verifierad ombestämning (<i>Ranunculus peltatus</i> in Lake Häggsjön—a verified renaming)	94
	106
68(2)	
KARLSTRÖM, P.-O.: Embryological studies in the Acanthaceae. III. The genera <i>Barleria</i> L. and <i>Crabbea</i> Harv.	121
HOLM, L. & TIBELL, L.: Studies on the fine structure of aeciospores	136
HOFSTEN, A. von: The ultrastructure of seeds of some <i>Brassica</i> species.—New sources of seed protein	153
BERGGREN, G.: Seed morphology of some <i>Epilobium</i> species in Scandinavia ...	164
VALLIN, H.: Vegetation changes in a moss cushion during 50 years	169
ERIKSSON, B.: On Ascomycetes on Dianiales and Ericales in Fennoscandia. 2. Pyrenomycetes	192
ERIKSSON, B.: On Deuteromycetes on Dianiales and Ericales in Fennoscandia	235
68(3)	
BJÖRNDALEN, J. E.: Upplysningar önskas om lågört-tallskogar på kalkrik mark i Sverige	254
GENBERG, E.: Projekt Östgöta flora	254
68(4)	
RYVARDEN, L.: Type-studies in the Polyporaceae. 3. Species described by Lars Romell	273
MOBERG, R.: Studies on <i>Physcia</i> . I	285
LUNDQVIST, N.: <i>Studia fungorum fimi</i> . II. New records of <i>Arnia</i> , and a new species, <i>A. bellum</i>	289
SAHLIN, C. I.: The origin of <i>Taraxacum blomgrenii</i> and <i>T. petterssonii</i>	304
KARLSTRÖM, P.-O.: Embryological studies in the Acanthaceae. IV. The genera <i>Asystasia</i> Bl. and <i>Chamaeranthemum</i> Nees	315
SUNHEDE, S.: Studies in Gasteromycetes. I. Notes on spore liberation and spore dispersal in <i>Gastrum</i>	329
KERS, L. E.: The Swedish Geoporae and their pyrenomycte infections	344
EVERS, E., NORDENSTAM, S. & WISTRAND, G.: Ogräsflora vid Silvervägen i Arjeplog	355
MÜLLER, C.: Ett ovanligt fynd av <i>Enteromorpha intestinalis</i> i Bysjön i Skåne .	357
68(5)	
DÖBBELER, P. & POELT, J.: Beiträge zur Kenntnis moosbewohnender Discomyceten. I. Die Gattung <i>Bryodiscus</i> .	369
JONSELL, B.: The genus <i>Rorippa</i> (Cruciferae) in tropical Africa and Madagascar	377
SUNHEDE, S.: Studies in Myxomycetes. II. Notes on <i>Fuligo septica</i>	397
HENNINGSSON, M.: Aquatic lignicolous fungi in the Baltic and along the west coast of Sweden	401
CLEMEDSON, C.-J.: <i>Rubus idaeus</i> f. <i>phyllanthus</i> på Selaön i Mälaren samt något om dess förekomst i övrigt (<i>Rubus idaeus</i> f. <i>phyllanthus</i> on Selaön Island in Lake Mälaren, Central Sweden, and notes on other finds) ..	426
WALLSTEN, M.: Flygbildstolkning och beskrivning av Tämnarens vegetation (Vegetation in Lake Tämnaren, Uppland, Central Sweden)	431

OPERA BOTANICA

- Vol. 1. N. HYLANDER, I. JØRSTAD and J. A. NANNFELDT: *Enumeratio Uredinearum Scandinavicarum*. 1953. 102 pp. — H. HORN AF RANTZIEN: Middle Triassic Charophyta of South Sweden. 1954. 83 pp. — H. HJELMQVIST: Die älteste Geschichte der Kulturpflanzen in Schweden. 1955. 186 pp. — Price Sw. Kr. 30 (15).
- Vol. 2. H. RUNEMARK: Studies in *Rhizocarpon*. I. Taxonomy of the Yellow Species in Europe. 1956. 152 pp. — H. RUNEMARK: Studies in *Rhizocarpon*. II. Distribution and Ecology of the Yellow Species in Europe. 1956. 150 pp. — G. KNABEN: On the Evolution of the Radicatum-Group of the Scapiflora Papavers as Studied in 70 and 56 Chromosome Species. A. Cytotaxonomical Aspects. 1959. 76 pp. — Price Sw. Kr. 30 (15).
- Vol. 3. A. GUSTAVSSON: Studies on Nordic Peronosporas. I. Taxonomic Revision. 1959. 271 pp. — A. GUSTAVSSON: Studies on Nordic Peronosporas. II. General Account. 1959. 61 pp. — G. KNABEN: On the Evolution of the Radicatum-Group of the Scapiflora Papavers as Studied in 70 and 56 Chromosome Species. B. Experimental Studies. 1959. 96 pp. — Price Sw. Kr. 30 (15).
- Vol. 4. R. DAHLGREN: Revision of the Genus *Aspalathus*. I. The Species with Flat Leaflets. 1960. 393 pp. — Price Sw. Kr. 30 (15).
- Vol. 5. Å. LÖVE and D. LÖVE: Chromosome Numbers of Central and Northwest European Plant Species. 1961. 581 pp. — Price Sw. Kr. 40 (20), bound Sw. Kr. 48 (28).
- Vol. 6. Å. PERSSON: Mire and Spring Vegetation in an Area North of Lake Torneträsk, Torne Lappmark, Sweden. I. Description of the Vegetation. 1961. 187 pp. — R. DAHLGREN: Revision of the Genus *Aspalathus*. II. The Species with Ericoid and Pinoid Leaflets. 1—2. 1961. 120 pp. — Å. PERSSON: Mire and Spring Vegetation in an Area North of Lake Torneträsk, Torne Lappmark, Sweden. II. Habitat Conditions. 1962. 100 pp. — Price Sw. Kr. 40 (20).
- Vol. 7. N. MALMER: Studies on Mire Vegetation in the Archaean Area of Southwestern Götaland (South Sweden). I. Vegetation and Habitat Conditions on the Åkhult Mire. 1962. 322 pp. — II. Distribution and Seasonal Variation in Elementary Constituents on Some Mire Sites. 1962. 67 pp. — Price Sw. Kr. 40 (20).
- Vol. 8. R. DAHLGREN: Revision of the Genus *Aspalathus*. II. The Species with Ericoid and Pinoid Leaflets. 3. 1963. 183 pp. — N. SYLVEN: Det skandinaviska floraområdets Carices Distigmaticeae. The Carices Distigmaticeae of the Scandinavian Flora District. 1963. 161 pp. — C. BLIDING: A Critical Survey of European Taxa in Ulvales. I. *Capsosiphon*, *Percursaria*, *Blidingia*, *Enteromorpha*. 1963. 160 pp. — Price Sw. Kr. 40 (20).
- Vol. 9. R. DAHLGREN: Studies on *Aspalathus* and Some Related Genera in South Africa. 1963. 301 pp. — S. O. STRANDHEDE: Chromosome Studies in *Eleocharis*, subser. *Palustres*. III. Observations on Western European Taxa. 1965. 86 pp. — Price Sw. Kr. 40 (20).
- Vol. 10. R. DAHLGREN: Revision of the Genus *Aspalathus*. II. The Species with Ericoid and Pinoid Leaflets. 4. 1965. 231 pp. — S. O. STRANDHEDE: Morphologic Variation and Taxonomy in European *Eleocharis*, subser. *Palustres*. 1966. 187 pp. — Price Sw. Kr. 40 (20).
- Vol. 11. R. DAHLGREN: Revision of the Genus *Aspalathus*. II. The Species with Ericoid and Pinoid Leaflets. 5. 1966. 266 pp. — G. NORDBORG: *Sanguisorba* L., *Sarcopoterium* Spach, and *Bencomia* Webb et Berth. Delimitation and Subdivision of the Genera. 1966. 103 pp. — Price Sw. Kr. 50 (30).
- Vol. 12. B. E. BERGLUND: Late-Quaternary Vegetation in Eastern Blekinge, Southeastern Sweden. A Pollen-analytical Study. I. Late-Glacial Time. 1966. 180 pp. — II. Post-Glacial Time. 1966. 190 pp. — Price Sw. Kr. 70 (42).
- No. 13. S. SNOGERUP: Studies in the Aegean Flora. VIII. *Erysimum* Sect. *Cheiranthus*. A. Taxonomy. 1967. 70 pp. — Price Sw. Kr. 15 (9).
- No. 14. S. SNOGERUP: Studies in the Aegean Flora. IX. *Erysimum* Sect. *Cheiranthus*. B. Variation and Evolution in the Small-Population System. 1967. 86 pp. — Price Sw. Kr. 16 (9.40).
- No. 15. R. DAHLGREN: Studies on *Penaeaceae*. I. Systematics and Gross Morphology of the Genus *Stylapterus* A. Juss. 1967. 40 pp. — Price Sw. Kr. 8 (4.80).
- No. 16. G. NORDBORG: The Genus *Sanguisorba* Section *Poterium*. Experimental Studies and Taxonomy. 1967. 166 pp. — Price Sw. Kr. 27 (16.20).
- No. 17. I. BJÖRKQVIST: Studies in *Alisma* L. I. Distribution, Variation and Germination. 1967. 128 pp. — Price Sw. Kr. 25 (15).
- No. 18. R. DAHLGREN: Studies on *Penaeaceae*. II. The Genera *Brachysiphon*, *Sonderotham-*

- nus and Saltera. 1968. 72 pp. — Price Sw. Kr. 13 (7.80).
- No. 19. I. BJÖRKQVIST: Studies in *Alisma* L. II. Chromosome Studies, Crossing Experiments and Taxonomy. 1968. 138 pp. — Price Sw. Kr. 25 (15).
- No. 20. B. NORDENSTAM: The Genus *Euryops*. I. Taxonomy. 1968. 409 pp. — Price Sw. Kr. 55 (33).
- No. 21. R. DAHLGREN: Revision of the Genus *Aspalathus*. II. The Species with Ericoid and Pinoid Leaflets. 6. 1968. 309 pp. — Price Sw. Kr. 75 (45).
- No. 22. R. DAHLGREN: Revision of the Genus *Aspalathus*. III. The Species with Flat and Simple Leaves. 1968. 126 pp. — Price Sw. Kr. 30 (18).
- No. 23. B. NORDENSTAM: Phytogeography of the Genus *Euryops* (Compositae). A Contribution to the Phytogeography of Southern Africa. 1969. 77 pp. — Price Sw. Kr. 20 (12).
- No. 24. T. MÖRNSJÖ: Studies on Vegetation and Development of a Peatland in Scania, South Sweden. 1969. 187 pp. — Price Sw. Kr. 50 (30).
- No. 25. G. TYLER: Studies in the Ecology of Baltic Sea-Shore Meadows. II. Flora and Vegetation. 1969. 101 pp. — Price Sw. Kr. 25 (15).
- No. 26. M. SONESSON: Studies on Mire Vegetation in the Torneträsk Area, Northern Sweden. III. Communities of the Poor Mires. 1970. 120 pp. — Price Sw. Kr. 30 (18).
- No. 27. F. ANDERSSON: Ecological Studies in a Scanian Woodland and Meadow Area, Southern Sweden. I. Vegetational and Environmental structure. 1970. 190 pp. — Price Sw. Kr. 50 (30).
- No. 28. A. STRID: Studies in the Aegean Flora. XVI. Biosystematics of the *Nigella arvensis* Complex. With Special Reference to the Problem of Non-adaptive Radiation. 1970. 169 pp. — Price Sw. Kr. 50 (30).
- No. 29. R. DAHLGREN: Studies on Penaeaceae. VI. The Genus *Penaea*. 1971. 58 pp. — Price Sw. Kr. 30 (18).
- No. 30. A. STRID (ed.): Evolution in the Aegean. Proceedings of a Symposium held at the Department of Plant Taxonomy, Lund, Sweden on January 22—24, 1971. 1971. 83 pp. — Price Sw. Kr. 35 (21).
- No. 31. J. LUNDGREN: Revision of the Genus *Anaxeton* Gaertn. (Compositae). 1972. 59 pp. — Price Sw. Kr. 25 (15).
- No. 32. A. K. STRID: Revision of the Genus *Adenandra* (Rutaceae). 1972. 112 pp. — Price Sw. Kr. 40 (24).
- No. 33. A. L. STORK: Studies in the Aegean Flora. XX. Biosystematics of the *Malcolmia maritima* Complex. 1972. 118 pp. — Price Sw. Kr. 50 (30).
- No. 34. R. VON BOTHMER: Studies in the Aegean Flora. XXI. Biosystematic Studies in the *Allium ampeloprasum* Complex. 1974. 104 pp. — Price Sw. Kr. 55 (33).
- No. 35. K. PERSSON: Biosystematic Studies in the *Artemisia maritima* Complex in Europe. 1974. 188 pp. — Price Sw. Kr. 100 (60).
- No. 36. U. ELIASSON: Studies in Galápagos Plants. XIV. The Genus *Scalesia* Arn. 1974. 117 pp. — Price Sw. Kr. 60 (36).
- No. 37. A. K. STRID: A Taxonomic Revision of *Bobartia* L. (Iridaceae). 1974. 45 pp. — Price Sw. Kr. 30 (18).

OPERA BOTANICA SER. B: FLORA OF ECUADOR

- No. 1. G. HARLING: 216. Cyclanthaceae. 1973. 48 pp. — Price Sw. Kr. 35 (21).
- No. 2. B. SPARRE: 89. Tropaeolaceae. 1973. 31 pp. — Price Sw. Kr. 25 (15).
- No. 3. PH. A. MUNZ: 141. Onagraceae. 1974. 46 pp. — Price Sw. Kr. 35 (21).
- Volumes in preparation. MILDRED MATHIAS and L. CONSTANCE: 145. Umbelliferae. — K. RAHN: 184. Plantaginaceae.

BOTANISKA NOTISER SUPPLEMENT

- Vol. 1. S. WALDHEIM: Kleinmoosgesellschaften und Bodenverhältnisse in Schonen. 1947. 203 pp. — O. ALMBORN: Distribution and Ecology of some South Scandinavian Lichens. 1948. 254 pp. — Price Sw. Kr. 15 (10).

- Vol. 2. H. HJELMQVIST: Studies on the Floral Morphology and Phylogeny of the Amentiferae. 1948. 171 pp. — O. ANDERSSON: Larger Fungi on Sandy Grass Heaths and Sand Dunes in Scandinavia. 1950. 89 pp. — A. ALME-

STRAND and A. LUNDH: Studies on the Vegetation and Hydrochemistry of Scanian Lakes. I—II. 1951. 174 pp. — Price Sw. Kr. 15 (10). Vol. 3. A. LUNDH: Studies on the Vegetation and Hydrochemistry of Scanian Lakes. III. 1951. 138 pp. — O. HEDBERG, O. MÅRTENSSON, and S. RUDBERG: Botanical Investigations in the Pältsa Region of Northernmost Sweden. 1952. 209 pp. — K. H. RECHINGER FIL.: Monograph of the Genus Rumex in Africa. 1954. 114 pp. — Price Sw. Kr. 15 (10).

Opera Botanica (except Ser. B) is published by the Lund Botanical Society in cooperation with the Department of Plant Taxonomy, University of Lund. It consists of comprehensive papers issued at indefinite times.

Opera Botanica Ser. B, Flora of Ecuador, is published by the Department of Systematic Botany, University of Göteborg and the Section of Botany, Riksmuseum, Stockholm. This series is also issued at indefinite times.

All parts of Opera Botanica and its predecessor Botaniska Notiser Supplement are still available.

Booksellers and non-members should apply to C.W.K. Gleerup Bokförlag, Öresundsvägen 1, S-222 38 Lund, Sweden. Prices given are approximate. Members of the Lund Botanical Society receive all the three series at a reduced rate (bracketed prices). Members should apply direct to Opera Botanica, Botanical Museum, Ö. Vallgatan 18, S-223 61 Lund, Sweden.

UNIVERSITETSBIBLIOTEKET

16. JAN. 1975

LUND